



“पूर्वी क्षेत्रको व्यापारिक द्वार, शान्ति र सम्बृद्धिसहितको भद्रपुर नगर”

भद्रपुर नगरपालिका

नगर कार्यपालिकाको कार्यालय

भद्रपुर, भोजपुर

कोशी प्रदेश, नेपाल

पत्र संख्या :-

चलानी नं. :-

मिति :

२०८१/०९/०३

विषय :- दररेट पेश गर्ने सम्बन्धमा ।

प्रस्तुत विषयमा प्रदेश सरकार, करुणा फाउण्डेशन नेपाल र भद्रपुर नगरपालिका विच भएको त्रिपक्षिय सम्झौता अनुसार कोशी प्रदेश सामाजिक विकास मन्त्रालयको अपाङ्गता रोकथाम तथा पुनःस्थापना कार्यक्रम भद्रपुर नगरपालिकामा आ.व. ०८२/०८३ का लागि स्वीकृत कार्यक्रम अनुसार अपाङ्गता भएका व्यक्तिहरुका लागि निम्न अनुसारका सहयोगी सामग्रीहरु खरिद गर्नु पर्ने भएकाले निम्न सामग्रीहरुको लागत अनुमान प्रयोजनार्थ दररेट ७ दिन भित्र कार्यालयमा पेश गर्नु हुन अनुरोध छ ।

S.N.	ASSISTIVE DEVICE	RATE	SPECIFICATION
1	Axillary Crutches ISO Code: 12.03.12 (includes, height adjustable)		<ul style="list-style-type: none"> Constructed from mild steel aluminium alloy tubes. Double molded hand grip with soft cushioning, Padded under-arm support for comfort Height-adjustment mechanism: double height adjustment (handgrip and shaft) Tips securely fitted and made from durable rubber Suction rubber tip for better grip on any surface Max/min adjustable height: 984/745 \pm 5 mm Weight bearing capacity: 120kg Size: Large, Medium, Small
2	Walking sticks/canes ISO Code: 12.03.03 Types: L-stick		<ul style="list-style-type: none"> Constructed from mild steel aluminum alloy tubes. ABS handle with comfortable grip. Height-adjustment mechanism: Telescopic, quick-release Soft gel on handle top Tips securely fitted, non-slip, and replaceable or interchangeable Weight bearing capacity: 110kg Size: Large, Medium, Small
3	Walking Frames / Walker ISO Code: 12.06.03		<ul style="list-style-type: none"> Rigid steel frame Foldable with net height of 10 cm Foam hand grips for extra comfort. Width/ folded depth: 52cm/10cm Height: From 79 to 91.5 cm Weight bearing capacity: 3.3kg/125kg Size: Large, Medium, Small

कार्यालय प्रमुख : ०२३-५२३७८९, नगर प्रमुख : ०२३-५२३९४८, नगर उप-प्रमुख : ०२३-५२३०५५, Fax : ००९७७-२३-५२३०८१
४ नं. वडा कार्यालय : , ५ नं. वडा कार्यालय : ५२३५५५, ६ नं. वडा कार्यालय : ५२४२५०, ७ नं. वडा कार्यालय : ४५३५५७,

८ नं वडा कार्यालय : ५२३९३८, ९ नं वडा कार्यालय : ४५३३५५, १० नं.वडा कार्यालय : ४५३०८३,

सब वाहन/बारुणयन्त्र सम्पर्क : ५८५२६२०९०९, ०२३-५२३९०९

Website: www.bhadrapurmun.gov.np

E-mail : info@bhadrapurmun.gov.np

“बालबालिका सबैका प्यारा, बालमैत्री नगर हाम्रो अभिभारा”



“पूर्वी क्षेत्रको व्यापारिक द्वार, शान्ति र सम्बृद्धिसहितको भद्रपुर नगर”

भद्रपुर नगरपालिका

नगर कार्यपालिकाको कार्यालय



पत्र संख्या :-

चलानी नं. :-

मिति :

S.N.	ASSISTIVE DEVICE	RATE	SPECIFICATION
4	Manual Wheel chair with cushion Adult (Size 15, 16, 17, 18 and 20 inch) ISO Code: 12.22.03 Types: • Active • Semi-active • Rough terrain		<ul style="list-style-type: none"> • Active wheelchair Wheelchair with folding or rigid frame, three or four wheels with large rear wheels, seat and backrest, armrests and footrests • Frame: frame with mechanism(s) to fold or dismantle • High quality steel or aluminum frame-125kg capacity • Backrest or back posts with adjustable height or supplied with range of back posts with fixed height. • Detachable, Swing Away Armrests. • Detachable, Swing In Swing Out Leg rest • Footrests: with adjustable height to accommodate people with shorter and longer legs. Two flip-up, swing-away or removable footrests on folding frame • Rear wheels: quick-release or removable without tools • Puncture-proof or pneumatic rear tyres and front castors • Anti-tippers for extra safety on slopes and uneven ground. • Cushion: Supplied with cover that meets general design requirements; for users with incontinence, a water-resistant cover or lining to protect cushion should be supplied <ul style="list-style-type: none"> ➤ overall height approximately 70–120 mm ➤ allows full or deep offloading or immersion (sinking into) and envelopment (conforming to shape) 40–45 mm) or deeper ➤ different length options or adjustable in length
5	Manual Wheel chair with cushion Pediatric (Size 12 and 14 inch) ISO Code: 12.22.03 Types: • Active • Semi-active • Rough terrain		<ul style="list-style-type: none"> • Rough terrain wheelchair Wheelchair with folding or rigid frame; three, four or more wheels, with two larger drive wheels; seat and backrest; and footrests behind front castors • May be lever-propelled • Longer wheelbase than active wheelchair; larger overall length than transport wheelchair with large rear wheels • Low center of gravity to ensure stability • Rear wheels and castors appropriate for

कार्यालय प्रमुख : ०२३-५२३७८९, नगर प्रमुख : ०२३-५२३९८८, नगर उप-प्रमुख : ०२३-५२३०५५, Fax : 00977-23-523781
४ नं. वडा कार्यालय : , ५ नं. वडा कार्यालय : ५२३५५५, ६ नं. वडा कार्यालय : ५२४२५०, ७ नं. वडा कार्यालय : ४५३५२७,

८ नं. वडा कार्यालय : ५२३९३८, ९ नं. वडा कार्यालय : ४५२३५५, १० नं. वडा कार्यालय : ४५२०८२,

सब वाहन/बारणायन्त्र सम्पर्क : ५८५२६२०९०९, ०२३-५२३९०९

Website: www.bhadrapurmunicipality.gov.np

E-mail : info@bhadrapurmunicipality.gov.np

“बालबालिका सबैका प्यारा, बालमैत्री नगर हाम्रो अभिभारा”



“पूर्वी क्षेत्रको व्यापारिक द्वार, शान्ति र समृद्धिसहितको भद्रपुर नगर”

भद्रपुर नगरपालिका

नगर कार्यपालिकाको कार्यालय



पत्र संख्या :-

चलानी नं. :-

मिति :

			<p>outdoor rough terrain</p> <p>Frame: frame with mechanism(s) to fold or dismantle, push-handles can be integrated into frame, supplied as an add-on component or omitted, integrated stability options for feet, backrest or back-posts with adjustable height or supplied with range of back-posts with fixed height</p> <p>Backrest: tension-adjustable backrest or rigid backrest that can be adjusted independently from back-posts, quick-release mechanism to be removed to allow folding</p> <p>Footrests with adjustable height. Two flip-up, swing-away or removable footrests on folding frames.</p> <p>Rear wheels (manual propelling): with push-rims or lever-propelled and quick-release or removable without tools for rigid frames for transport; optional for wheelchairs with folding frame. Wider or larger-tread tyres</p> <p>Puncture-proof or pneumatic, rear tyres and front castors</p> <p>Rear and front wheels (lever propelling): size and width of front and rear wheels appropriate for rough terrain and wheelchair design, three or multiple wheels, puncture-proof or pneumatic wheels</p> <p>Cushion: Supplied with cover that meets general design requirements; for users with incontinence, a water-resistant cover or lining to protect cushion should be supplied</p> <ul style="list-style-type: none"> • overall height approximately 70–120 mm • allows full or deep offloading or immersion (sinking into) and envelopment (conforming to shape) 40–45 mm) or deeper • different length options or adjustable in length
6	Wheel chair with postural support (Adult CP wheelchair)		<ul style="list-style-type: none"> • Rigid frame or frame with mechanism to fold • Three or four wheels, push-handles, • Range of integrated or included postural support device and posture support cushion

(Signature)
नगर कार्यपालिका अध्यक्ष

कार्यालय प्रमुख : ०२३-५२३७८१, नगर प्रमुख : ०२३-५२३९८८, नगर उप-प्रमुख : ०२३-५२३०५५, Fax : 00977-23-523781
 ४ नं. वडा कार्यालय : , ५ नं. वडा कार्यालय : ५२३५५५, ६ नं. वडा कार्यालय : ५२४२५०, ७ नं. वडा कार्यालय : ४५३५२७,
 ८ नं. वडा कार्यालय : ५२३९३८, ९ नं. वडा कार्यालय : ४५२३५५, १० नं. वडा कार्यालय : ४५२०८२,
 सब वाहन/बारुणयन्त्र सम्पर्क : ५८५२६२०१०१, ०२३-५२३९०१
 Website: www.bhadrapurmun.gov.np E-mail : info@bhadrapurmun.gov.np

“बालबालिका सबैका प्यारा, बालमैत्री नगर हाम्रो अभिरा”



“पूर्वी क्षेत्रको व्यापारिक द्वार, शान्ति र सम्बृद्धिसहितको भद्रपुर नगर”

भद्रपुर नगरपालिका

नगर कार्यपालिकाको कार्यालय

भद्रपुर, कैलाली

कोशी प्रदेश, नेपाल

पत्र संख्या :-

चलानी नं. :-

मिति :

		<ul style="list-style-type: none"> Large-range adjustable recline and large-range adjustable and variable (dynamic) tilt Rear wheels and front castors appropriate for indoor and outdoor mixed terrain <p>Requirements for standard configuration</p> <ul style="list-style-type: none"> integrated mechanism or adjustment options to prevent tip-over when chair used with tilt or recline Footrests with adjustable height; available in at least two adjustment ranges on all sizes of wheelchair to accommodate people with shorter and longer legs; two flip-up, swing-away or removable footrests for wheelchairs with folding frames Mechanism or adjustment options available to maintain backwards stability with maximum combined seat and backrest configuration adjustments For self-propelled wheelchairs: adjustment options to improve reach to rear <p>Rear wheels:</p> <ul style="list-style-type: none"> quick-release or removable without tools on rigid frames for self-propelled wheelchairs <p>Castors:</p> <ul style="list-style-type: none"> Puncture-proof or pneumatic rear tyres and front castors <p>Back rest and support</p> <ul style="list-style-type: none"> Height adjustable or available in different lengths to optimize trunk support (at least at shoulder height or higher) Rigid seat and backrest: removable without tools on folding frame. Headrest attached to back of backrest and with adjustable forward and backward, sideways, height and angle; must be able to support head behind, in line or in front of back support as required. Pelvis strap (positioning belt) with adjustable length Adjustable and removable knee separator pad (medial knee support); may be integrated in cushion; standard on child size
--	--	---

(Signature)

प्रमुख प्रशासकीय अधिकारी



“पूर्वी क्षेत्रको व्यापारिक द्वार, शान्ति र समृद्धिसहितको भद्रपुर नगर”

भद्रपुर नगरपालिका

नगर कार्यपालिकाको कार्यालय



पत्र संख्या :-

चलानी नं. :-

भद्रपुर, झापा
कोशी प्रदेश, नेपाल

मिति :

			<ul style="list-style-type: none"> and optional on adult size • Calf or foot straps with adjustable length • Tray table or flip-up or removable armrests with adjustable height • Outside (lateral) thigh or knee pads (supports) for seat, shoulder harness and chest strap
7	Toilet Chair/ Commode chairs ISO Code: 09.12.03		<ul style="list-style-type: none"> • Foldable • Fixed or removable backrest Seat with aperture Removeable collection bucket (pan) • Folds flat making it easy for storage and transportation • Easy to clean and re-use • Safe and non-slippery • User capacity 100 kg • Height adjustable
8	White Cane ISO Code: 12.39.03		<ul style="list-style-type: none"> • Aluminum alloy • Made of high quality 4 section aluminum construction. • Canes fold and unfold with ease, good to storage in your bag. • Cane shaft is covered with red and white reflector tape for nighttime visibility. • It comes with standard wrist strap and reinforced nylon tip • Weight of 0.53 lb. • Length range: Tall adults: 145 cm \pm 5 cm Adults: 120-140 cm \pm 5 cm Children: 70 cm \pm 5 cm • Plastic or rubber handgrip of length 20 cm and diameter 2.5 cm and wrist loop

प्रमुख प्रशासकीय अधिकृत

कार्यालय प्रमुख : ०२३-५२३७८१, नगर प्रमुख : ०२३-५२३१४८, नगर उप-प्रमुख : ०२३-५२३०५५, Fax : ००९७७-२३-५२३७८१
 ४ नं. वडा कार्यालय : , ५ नं. वडा कार्यालय : ५२३५५५, ६ नं. वडा कार्यालय : ५२४२५०, ७ नं. वडा कार्यालय : ४५३५२७,
 ८ नं. वडा कार्यालय : ५२३१३८, ९ नं. वडा कार्यालय : ४५२३५५, १० नं. वडा कार्यालय : ४५२०८२,
 सब वाहन/बारुणायन्त्र सम्पर्क : ५८५२६२०१०१, ०२३-५२३१०१
 Website: www.bhadrapurmunicipality.gov.np E-mail : info@bhadrapurmunicipality.gov.np
 “बालबालिका सबैका प्यारा, बालमैत्री नगर हाम्रो अभिभारा”



“पूर्वी क्षेत्रको व्यापारिक द्वार, शान्ति र समृद्धिसहितको भद्रपुर नगर”

भद्रपुर नगरपालिका

नगर कार्यपालिकाको कार्यालय



पत्र संख्या :-

चलानी नं. :-

मिति :

S.N.	ASSISTIVE DEVICE	RATE	SPECIFICATION
9	Semi-Digital and Digital hearing aids with program and volume control ISO Code: 22.06.15		Amplification frequency response and maximum output (OSPL) that meets requirements of standard prescription formulae (e.g. Desired Sensation Level v.5 or National Acoustics Laboratories NL2) Frequency range should be 200–4500 Hz (minimum) Digital Hearing aids with programs, memory, noise cancellation and volume control etc. Suitable for any severity of hearing loss from moderate (40 dB) to profound (90 dB) degree. At least two preset hearing programs Preconfigured (stock or disposable) ear inserts in variety of sizes or custom made earmolds
10	Air Mattress / Pressure relief mattress ISO Code: 04.33.06		<ul style="list-style-type: none"> Composed of 2.5"-high bubble cells overlay mattresses and easy to install. Simple to operate, portable and light-weight, this mattress useful for pressure ulcer prevention and treatment. On/Off switch & rotary dial for pressure setting. Comfortable, Perfect finish, Robust design, Air output: 6 - 7 liter/min. Pressure: 40- 100 mmHg Cycle time: 5 to 6 min. Size: 26.5cm (L) x 11cm (W) x 12.5cm (H) Weight: 1.5 kg
11	Modified shoes/ Orthopedic shoes/ Footwear for diabetes /neuropathic foot ISO Code: 06.33.30		<p>Orthopedic shoes come in various styles and can accommodate a range of foot conditions, from common problems like bunions and hammertoes to more serious conditions associated with arthritis or diabetes</p> <p>Specifications:</p> <ul style="list-style-type: none"> Materials most include leather, foam rubbers, cellular polymers having long durability and comfortable wearing with ease. <p>Size: Individual measurement should be taken beforehand for customization based on the condition of foot.</p> <p>Note: Locally manufactured item available in Nepal.</p>

(Signature)

गोरखनाथ मिश्र
प्रमुख प्रशासकीय अधिकृत

प्रमुख प्रशासकीय अधिकृत

कार्यालय प्रमुख : ०२३-५२३७८९, नगर प्रमुख : ०२३-५२३९४८, नगर उप-प्रमुख : ०२३-५२३०५५, Fax : 00977-23-523781
 ४ नं. वडा कार्यालय : , ५ नं. वडा कार्यालय : ५२३५५५, ६ नं. वडा कार्यालय : ५२३५५०, ७ नं. वडा कार्यालय : ४५३५२७,
 ८ नं. वडा कार्यालय : ५२३९३८, ९ नं. वडा कार्यालय : ४५३५५५, १० नं. वडा कार्यालय : ४५२०८२,
 सब वाहन/बारणायन्त्र सम्पर्क : ५८५२६२०१०१, ०२३-५२३९०१
 Website: www.bhadrapurmun.gov.np E-mail: info@bhadrapurmun.gov.np

“बालबालिका सबैका प्यारा, बालमैत्री नगर हाम्रो अभिभारा”